



ČSN 221140

- ØD= 2,00÷14,00 - MORSE 1
- ØD=14,25÷23,00 - MORSE 2
- ØD=23,25÷31,75 - MORSE 3
- ØD=32,00÷50,50 - MORSE 4
- ØD=51,00÷76,00 - MORSE 5
- ØD=77,00÷90,00 - MORSE 6




Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	
A400200V500S	2,0	108	24	0,0474
A400220V500S	2,2	108	27	0,0474
A400250V500S	2,5	111	30	0,0477
A400280V500S	2,8	114	33	0,0483
A400300V500S	3,0	114	33	0,0490
A400320V500S	3,2	117	36	0,0493
A400350V500S	3,5	120	39	0,0500
A400380V500S	3,8	124	43	0,0505
A400400V500S	4,0	124	43	0,0508
A400420V500S	4,2	124	43	0,0515
A400450V500S	4,5	128	47	0,0525
A400480V500S	4,8	133	52	0,0535
A400500V000S	5,0	133	52	0,055
A400510V000S	5,1	133	52	0,056
A400520V000S	5,2	133	52	0,056
A400525V000S	5,25	133	52	0,056
A400530V000S	5,3	133	52	0,056
A400540V000S	5,4	138	57	0,056
A400550V000S	5,5	138	57	0,057
A400560V000S	5,6	138	57	0,057
A400570V000S	5,7	138	57	0,057
A400575V000S	5,75	138	57	0,057
A400580V000S	5,8	138	57	0,058
A400590V000S	5,9	138	57	0,058
A400600V000S	6,0	138	57	0,058
A400610V000S	6,1	144	63	0,06
A400620V000S	6,2	144	63	0,06
A400625V000S	6,25	144	63	0,06
A400630V000S	6,3	144	63	0,06
A400640V000S	6,4	144	63	0,061
A400650V000S	6,5	144	63	0,062
A400660V000S	6,6	144	63	0,062
A400670V000S	6,7	144	63	0,062
A400675V000S	6,75	150	69	0,063
A400680V000S	6,8	150	69	0,063
A400690V000S	6,9	150	69	0,064
A400700V000S	7,0	150	69	0,064
A400710V000S	7,1	150	69	0,065
A400720V000S	7,2	150	69	0,065
A400725V000S	7,25	150	69	0,066
A400730V000S	7,3	150	69	0,067
A400740V000S	7,4	150	69	0,067
A400750V000S	7,5	150	69	0,067
A400760V000S	7,6	156	75	0,067
A400770V000S	7,7	156	75	0,067
A400775V000S	7,75	156	75	0,067
A400780V000S	7,8	156	75	0,068
A400790V000S	7,9	156	75	0,068
A400800V000S	8,0	156	75	0,068
A400810V000S	8,1	156	75	0,069
A400820V000S	8,2	156	75	0,069
A400825V000S	8,25	156	75	0,069
A400830V000S	8,3	156	75	0,069
A400840V000S	8,4	156	75	0,069
A400850V000S	8,5	156	75	0,07
A400860V000S	8,6	162	81	0,07
A400870V000S	8,7	162	81	0,071
A400875V000S	8,75	162	81	0,072
A400880V000S	8,8	162	81	0,073
A400890V000S	8,9	162	81	0,074
A400900V000S	9,0	162	81	0,075
A400910V000S	9,1	162	81	0,076

Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	
A400920V000S	9,2	162	81	0,076
A400925V000S	9,25	162	81	0,077
A400930V000S	9,3	162	81	0,078
A400940V000S	9,4	162	81	0,078
A400950V000S	9,5	162	81	0,079
A400960V000S	9,6	168	87	0,08
A400970V000S	9,7	168	87	0,081
A400975V000S	9,75	168	87	0,082
A400980V000S	9,8	168	87	0,083
A400990V000S	9,9	168	87	0,085
A401000V000S	10,0	168	87	0,086
A401010V000S	10,1	168	87	0,087
A401020V000S	10,2	168	87	0,088
A401025V000S	10,25	168	87	0,088
A401030V000S	10,3	168	87	0,089
A401040V000S	10,4	168	87	0,089
A401050V000S	10,5	168	87	0,09
A401060V000S	10,6	168	87	0,091
A401070V000S	10,7	175	94	0,092
A401075V000S	10,75	175	94	0,093
A401080V000S	10,8	175	94	0,094
A401090V000S	10,9	175	94	0,095
A401100V000S	11,0	175	94	0,096
A401110V000S	11,1	175	94	0,096
A401120V000S	11,2	175	94	0,098
A401125V000S	11,25	175	94	0,099
A401130V000S	11,3	175	94	0,1
A401140V000S	11,4	175	94	0,103
A401150V000S	11,5	175	94	0,105
A401160V000S	11,6	175	94	0,107
A401170V000S	11,7	175	94	0,107
A401175V000S	11,75	175	94	0,107
A401180V000S	11,8	175	94	0,108
A401190V000S	11,9	182	101	0,11
A401200V000S	12,0	182	101	0,112
A401210V000S	12,1	182	101	0,115
A401220V000S	12,2	182	101	0,115
A401225V000S	12,25	182	101	0,115
A401230V000S	12,3	182	101	0,116
A401240V000S	12,4	182	101	0,117
A401250V000S	12,5	182	101	0,118
A401260V000S	12,6	182	101	0,119
A401270V000S	12,7	182	101	0,12
A401275V000S	12,75	182	101	0,12
A401280V000S	12,8	182	101	0,12
A401290V000S	12,9	182	101	0,122
A401300V000S	13,0	182	101	0,123
A401310V000S	13,1	182	101	0,124
A401320V000S	13,2	182	101	0,125
A401325V000S	13,25	189	108	0,126
A401330V000S	13,3	189	108	0,128
A401340V000S	13,4	189	108	0,129
A401350V000S	13,5	189	108	0,13
A401360V000S	13,6	189	108	0,131
A401370V000S	13,7	189	108	0,132
A401375V000S	13,75	189	108	0,133
A401380V000S	13,8	189	108	0,135
A401390V000S	13,9	189	108	0,135
A401400V000S	14,0	189	108	0,136
A401425F000S	14,25	212	114	0,139
A401450F000S	14,5	212	114	0,142

pokračování / continue / Fortsetzung

ČSN 221140

- ØD= 2,00÷14,00 ~ MORSE 1
- ØD=14,25÷23,00 ~ MORSE 2
- ØD=23,25÷31,75 ~ MORSE 3
- ØD=32,00÷50,50 ~ MORSE 4
- ØD=51,00÷76,00 ~ MORSE 5
- ØD=77,00÷90,00 ~ MORSE 6



HSS

PAS

DIN 345

E = 118°

λ = 25°-30°

DIN 1412 FORM JN


DIN 1412 FORM JA 14,1-50,5

R

V 2,0 ÷ 14,0

F 14,25 ÷ 90,0

5xD




Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	kg
A401475F000S	14,75	212	114	0,149
A401500F000S	15,0	212	114	0,16
A401525F000S	15,25	218	120	0,17
A401550F000S	15,5	218	120	0,18
A401575F000S	15,75	218	120	0,19
A401600F000S	16,0	218	120	0,21
A401625F000S	16,25	223	125	0,235
A401650F000S	16,5	223	125	0,247
A401675F000S	16,75	223	125	0,258
A401700F000S	17,0	223	125	0,269
A401725F000S	17,25	228	130	0,285
A401750F000S	17,5	228	130	0,291
A401775F000S	17,75	228	130	0,295
A401800F000S	18,0	228	130	0,3
A401825F000S	18,25	233	135	0,306
A401850F000S	18,5	233	135	0,312
A401875F000S	18,75	233	135	0,316
A401900F000S	19,0	233	135	0,32
A401925F000S	19,25	238	140	0,325
A401950F000S	19,5	238	140	0,334
A401975F000S	19,75	238	140	0,345
A402000F000S	20,0	238	140	0,35
A402025F000S	20,25	243	145	0,36
A402050F000S	20,5	243	145	0,38
A402075F000S	20,75	243	145	0,395
A402100F000S	21,0	243	145	0,415
A402125F000S	21,25	248	150	0,419
A402150F000S	21,5	248	150	0,424
A402175F000S	21,75	248	150	0,43
A402200F000S	22,0	248	150	0,455
A402225F000S	22,25	248	150	0,48
A402250F000S	22,5	253	155	0,495
A402275F000S	22,75	253	155	0,52
A402300F000S	23,0	253	155	0,56
A402325F000S	23,25	276	155	0,6
A402350F000S	23,5	276	155	0,62
A402375F000S	23,75	281	160	0,64
A402400F000S	24,0	281	160	0,66
A402425F000S	24,25	281	160	0,684
A402450F000S	24,5	281	160	0,715
A402475F000S	24,75	281	160	0,715
A402500F000S	25,0	281	160	0,719
A402525F000S	25,25	286	165	0,722
A402550F000S	25,5	286	165	0,722
A402575F000S	25,75	286	165	0,727
A402600F000S	26,0	286	165	0,736
A402625F000S	26,25	286	165	0,74
A402650F000S	26,5	286	165	0,755
A402675F000S	26,75	291	170	0,765
A402700F000S	27,0	291	170	0,775
A402725F000S	27,25	291	170	0,788
A402750F000S	27,5	291	170	0,796
A402775F000S	27,75	291	170	0,81
A402800F000S	28,0	291	170	0,82
A402825F000S	28,25	296	175	0,83
A402850F000S	28,5	296	175	0,85
A402875F000S	28,75	296	175	0,865
A402900F000S	29,0	296	175	0,88
A402925F000S	29,25	296	175	0,895
A402950F000S	29,5	296	175	0,915
A402975F000S	29,75	296	175	0,925
A403000F000S	30,0	296	175	0,935

Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	kg
A403025F000S	30,25	301	180	0,945
A403050F000S	30,5	301	180	0,955
A403075F000S	30,75	301	180	0,968
A403100F000S	31,0	301	180	1,005
A403125F000S	31,25	301	180	1,015
A403150F000S	31,5	301	180	1,025
A403175F000S	31,75	306	185	1,038
A403200F000S	32,0	334	185	1,07
A403250F000S	32,5	334	185	1,095
A403300F000S	33,0	334	185	1,195
A403350F000S	33,5	334	185	1,23
A403400F000S	34,0	339	190	1,32
A403450F000S	34,5	339	190	1,465
A403500F000S	35,0	339	190	1,51
A403550F000S	35,5	339	190	1,56
A403600F000S	36,0	344	195	1,61
A403650F000S	36,5	344	195	1,67
A403700F000S	37,0	344	195	1,71
A403750F000S	37,5	344	195	1,76
A403800F000S	38,0	349	200	1,79
A403850F000S	38,5	349	200	1,82
A403900F000S	39,0	349	200	1,84
A403950F000S	39,5	349	200	1,86
A404000F000S	40,0	349	200	1,88
A404050F000S	40,5	354	205	1,89
A404100F000S	41,0	354	205	1,9
A404150F000S	41,5	354	205	2,03
A404200F000S	42,0	354	205	2,095
A404250F000S	42,5	354	205	2,14
A404300F000S	43,0	359	210	2,19
A404350F000S	43,5	359	210	2,21
A404400F000S	44,0	359	210	2,23
A404450F000S	44,5	359	210	2,25
A404500F000S	45,0	359	210	2,3
A404550F000S	45,5	364	215	2,335
A404600F000S	46,0	364	215	2,41
A404650F000S	46,5	364	215	2,498
A404700F000S	47,0	364	215	2,58
A404750F000S	47,5	364	215	2,65
A404800F000S	48,0	369	220	2,695
A404850F000S	48,5	369	220	2,778
A404900F000S	49,0	369	220	2,85
A404950F000S	49,5	369	220	2,91
A405000F000S	50,0	369	220	3,25
A405050F000S	50,5	374	225	3,48
A405100F000S	51,0	412	225	3,85
A405200F000S	52,0	412	225	4,25
A405300F000S	53,0	412	225	4,295
A405400F000S	54,0	417	230	4,32
A405500F000S	55,0	417	230	4,38
A405600F000S	56,0	417	230	4,415
A405700F000S	57,0	422	235	4,55
A405800F000S	58,0	422	235	4,645
A405900F000S	59,0	422	235	4,76
A406000F000S	60,0	422	235	4,995
A406100F000S	61,0	427	240	5,3
A406200F000S	62,0	427	240	5,36
A406300F000S	63,0	427	240	5,41
A406400F000S	64,0	432	245	5,51
A406500F000S	65,0	432	245	5,595
A406600F000S	66,0	432	245	5,72

pokračování / continue / Fortsetzung

ČSN 221140

- ØD= 2,00÷14,00 - MORSE 1
- ØD=14,25÷23,00 - MORSE 2
- ØD=23,25÷31,75 - MORSE 3
- ØD=32,00÷50,50 - MORSE 4
- ØD=51,00÷76,00 - MORSE 5
- ØD=77,00÷90,00 - MORSE 6






Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	
A406700F000S	67	432	245	5,85
A406800F000S	68	437	250	5,98
A406900F000S	69	437	250	6,12
A407000F000S	70	437	250	6,215
A407100F000S	71	437	250	6,305
A407200F000S	72	442	255	6,61
A407300F000S	73	442	255	6,645
A407400F000S	74	442	255	6,78
A407500F000S	75	442	255	6,91
A407600F000S	76	447	260	7,1
A407700F000S	77	514	260	7,85
A407800F000S	78	514	260	8,45

Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	
A407900F000S	79	514	260	8,62
A408000F000S	80	514	260	8,88
A408100F000S	81	519	265	8,95
A408200F000S	82	519	265	9,11
A408300F000S	83	519	265	9,3
A408400F000S	84	519	265	9,32
A408500F000S	85	519	265	9,34
A408600F000S	86	524	270	9,36
A408700F000S	87	524	270	9,38
A408800F000S	88	524	270	10,4
A408900F000S	89	524	270	10,42
A409000F000S	90	524	270	10,46

PN 221155

- ØD=13/64"±35/64" ~ MORSE 1
- ØD=9/16"±29/32" ~ MORSE 2
- ØD=59/64"±1 1/4" ~ MORSE 3
- ØD=1 17/64"±2" ~ MORSE 4
- ØD=2 1/32"±3" ~ MORSE 5
- ØD=3 1/8"±3 1/2" ~ MORSE 6




Objednáací číslo Order number Bezeichnung Nummer	ØD inch	ØD mm	L inch	I inch	kg
A550516V500S	13/64	5,169	5 1/4	2 1/16	0,056
A550556V500S	7/32	5,556	5 7/16	2 1/4	0,058
A550595V500S	15/64	5,953	5 7/16	2 1/4	0,058
A550635V500S	1/4	6,350	5 11/16	2 1/2	0,059
A550675T000S	17/64	6,747	5 29/32	2 23/32	0,061
A550714T000S	9/32	7,144	5 29/32	2 23/32	0,063
A550754T000S	19/64	7,541	6 1/8	2 15/16	0,064
A550794T000S	5/16	7,938	6 1/8	2 15/16	0,065
A550833T000S	21/64	8,335	6 1/8	2 15/16	0,067
A550873T000S	11/32	8,732	6 3/8	3 3/16	0,071
A550913T000S	23/64	9,128	6 3/8	3 3/16	0,075
A550953T000S	3/8	9,525	6 5/8	3 7/16	0,077
A550992T000S	25/64	9,922	6 5/8	3 7/16	0,081
A551032T000S	13/32	10,319	6 5/8	3 7/16	0,085
A551072T000S	27/64	10,716	6 7/8	3 11/16	0,090
A551111T000S	7/16	11,113	6 7/8	3 11/16	0,097
A551151T000S	29/64	11,510	6 7/8	3 11/16	0,100
A551191T000S	15/32	11,907	7 5/32	3 31/32	0,106
A551230T000S	31/64	12,304	7 5/32	3 31/32	0,110
A551270T000S	1/2	12,700	7 5/32	3 31/32	0,114
A551310F000S	33/64	13,097	7 5/32	3 31/32	0,123
A551349F000S	17/32	13,494	7 7/16	4 1/4	0,127
A551389F000S	35/64	13,891	7 7/16	4 1/4	0,133
A551429F000S	9/16	14,288	8 3/8	4 1/2	0,138
A551468F000S	37/64	14,685	8 3/8	4 1/2	0,142
A551508F000S	19/32	15,082	8 5/8	4 3/4	0,147
A551548F000S	39/64	15,479	8 5/8	4 3/4	0,172
A551588F000S	5/8	15,876	8 5/8	4 3/4	0,191
A551627F000S	41/64	16,272	8 3/4	4 7/8	0,234
A551667F000S	21/32	16,669	8 3/4	4 7/8	0,257
A551707F000S	43/64	17,068	9	5 1/8	0,275
A551746F000S	11/16	17,463	9	5 1/8	0,286
A551786F000S	45/64	17,860	9	5 1/8	0,297
A551826F000S	23/32	18,257	9 1/8	5 1/4	0,305
A551865F000S	47/64	18,654	9 1/8	5 1/4	0,313
A551905F000S	3/4	19,051	9 3/8	5 1/2	0,320
A551945F000S	49/64	19,448	9 3/8	5 1/2	0,331
A551984F000S	25/32	19,844	9 3/8	5 1/2	0,334
A552024F000S	51/64	20,241	9 5/8	5 3/4	0,365
A552064F000S	13/16	20,638	9 5/8	5 3/4	0,387
A552103F000S	53/64	21,035	9 3/4	5 3/4	0,394
A552143F000S	27/32	21,432	9 3/4	5 7/8	0,406
A552183F000S	55/64	21,829	9 3/4	5 7/8	0,416
A552223F000S	7/8	22,226	9 3/4	5 7/8	0,448
A552262F000S	57/64	22,623	10	6 1/8	0,520
A552302F000S	29/32	23,020	10	6 1/8	0,565
A552342F000S	59/64	23,416	10 7/8	6 1/8	0,605
A552381F000S	15/16	24,813	11	6 1/4	0,618
A552421F000S	61/64	24,210	11	6 1/4	0,640
A552461F000S	31/32	24,607	11	6 1/4	0,650
A552500F000S	63/64	25,004	11 1/4	6 1/2	0,670
A552540F000S	1	25,400	11 1/4	6 1/2	0,680
A552580F000S	1 1/64	25,798	11 1/4	6 1/2	0,714
A552619F000S	1 1/32	26,195	11 1/4	6 1/2	0,714
A552659F000S	1 3/64	26,591	11 3/8	6 5/8	0,734
A552699F000S	1 1/16	26,989	11 3/8	6 5/8	0,760
A552739F000S	1 5/64	27,385	11 3/8	6 5/8	0,775
A552778F000S	1 3/32	27,782	11 3/8	6 5/8	0,813
A552818F000S	1 7/64	28,179	11 5/8	6 7/8	0,830
A552858F000S	1 1/8	28,576	11 5/8	6 7/8	0,853
A552897F000S	1 9/64	28,973	11 5/8	6 7/8	0,874
A552937F000S	1 5/32	29,370	11 5/8	6 7/8	0,885

Objednáací číslo Order number Bezeichnung Nummer	ØD inch	ØD mm	L inch	I inch	kg
A552977F000S	1 11/64	29,767	11 5/8	6 7/8	0,910
A553016F000S	1 3/16	30,164	11 7/8	7 1/8	0,918
A553056F000S	30,560	11 7/8	7 1/8	0,940	
A553096F000S	1 7/32	30,957	11 7/8	7 1/8	0,950
A553135F000S	31,354	11 7/8	7 1/8	0,974	
A553175F000S	1 1/4	31,751	12	7 1/4	1,038
A553215F000S	1 17/64	32,148	13 1/8	7 1/4	1,070
A553254F000S	1 9/32	32,545	13 1/8	7 1/4	1,160
A553294F000S	1 19/64	32,942	13 1/8	7 1/4	1,205
A553334F000S	1 5/16	33,339	13 1/8	7 1/4	1,285
A553374F000S	1 21/64	33,734	13 3/8	7 1/2	1,360
A553413F000S	1 11/32	34,133	13 3/8	7 1/2	1,400
A553453F000S	1 23/64	34,529	13 3/8	7 1/2	1,460
A553493F000S	1 3/8	34,926	13 3/8	7 1/2	1,520
A553532F000S	1 25/64	35,323	13 3/8	7 1/2	1,545
A553572F000S	1 13/32	35,720	13 1/2	7 5/8	1,600
A553612F000S	1 27/64	36,117	13 1/2	7 5/8	1,630
A553651F000S	1 7/16	36,514	13 1/2	7 5/8	1,660
A553691F000S	1 29/32	36,911	13 1/2	7 5/8	1,700
A553731F000S	1 15/32	37,308	13 1/2	7 5/8	1,720
A553770F000S	1 31/64	37,705	13 3/4	7 7/8	1,760
A553810F000S	1 1/2	38,101	13 3/4	7 7/8	1,780
A553850F000S	1 33/64	38,498	13 3/4	7 7/8	1,810
A553889F000S	1 17/32	38,895	13 3/4	7 7/8	1,855
A553929F000S	1 35/64	39,292	13 3/4	7 7/8	1,860
A553969F000S	1 9/16	39,689	13 3/4	7 7/8	1,870
A554009F000S	1 37/64	40,086	14	8 1/8	1,910
A554048F000S	1 19/32	40,483	14	8 1/8	1,950
A554088F000S	1 39/64	40,880	14	8 1/8	1,990
A554128F000S	1 5/8	41,277	14	8 1/8	1,990
A554167F000S	1 41/64	41,673	14	8 1/8	2,030
A554207F000S	1 21/32	42,070	14	8 1/8	2,070
A554247F000S	1 43/64	42,467	14	8 1/8	2,110
A554286F000S	1 11/16	42,864	14 1/8	8 1/4	2,130
A554326F000S	1 45/64	43,261	14 1/8	8 1/4	2,150
A554366F000S	1 23/32	43,658	14 1/8	8 1/4	2,190
A554405F000S	1 47/64	44,055	14 1/8	8 1/4	2,230
A554445F000S	1 3/4	44,452	14 1/8	8 1/4	2,270
A554485F000S	1 49/64	44,849	14 1/8	8 1/4	2,320
A554524F000S	1 25/32	45,245	14 3/8	8 1/2	2,320
A554564F000S	1 51/64	45,642	14 3/8	8 1/2	2,370
A554604F000S	1 13/16	46,039	14 3/8	8 1/2	2,420
A554644F000S	1 53/64	46,436	14 3/8	8 1/2	2,480
A554683F000S	1 27/32	46,833	14 3/8	8 1/2	2,550
A554723F000S	1 55/64	47,230	14 3/8	8 1/2	2,580
A554763F000S	1 7/8	47,628	14 1/2	8 5/8	2,625
A554802F000S	1 57/64	48,024	14 1/2	8 5/8	2,700
A554842F000S	1 29/32	48,421	14 1/2	8 5/8	2,825
A554882F000S	1 59/64	48,817	14 1/2	8 5/8	2,950
A554921F000S	1 15/16	49,214	14 1/2	8 5/8	2,980
A554961F000S	1 61/64	49,611	14 1/2	8 5/8	3,100
A555001F000S	1 31/32	50,008	14 3/4	8 7/8	3,250
A555040F000S	1 63/64	50,405	14 3/4	8 7/8	3,480
A555080F000S	2	50,800	14 3/4	8 7/8	4,220
A555159F000S	2 1/32	51,596	16 1/4	8 7/8	4,230
A555239F000S	2 1/16	52,387	16 1/4	8 7/8	4,240
A555318F000S	2 3/32	53,183	16 3/8	9	4,280
A555398F000S	2 1/8	53,977	16 3/8	9	4,300
A555477F000S	2 5/32	54,768	16 3/8	9	4,330
A555556F000S	2 3/16	55,565	16 3/8	9	4,370
A555636F000S	2 7/32	56,358	16 5/8	9 1/4	4,480

pokračování / continue / Fortsetzung

PN 221155

- ØD=13/64"±35/64" ~ MORSE 1
- ØD=9/16"±29/32" ~ MORSE 2
- ØD=59/64"±1 1/4" ~ MORSE 3
- ØD=1 17/64"±2" ~ MORSE 4
- ØD=2 1/32"±3" ~ MORSE 5
- ØD=3 1/8"±3 1/2" ~ MORSE 6



HSS

PAS


DIN 345

V
5,1 ÷ 6,35

T
6,75 ÷ 12,7

F
13,1 ÷ 88,9

5xD



Objednací číslo Order number Bezeichnung Nummer	ØD inch	ØD mm	L inch	I inch	
A555715F000S	2 1/4	57,152	16 5/8	9 1/4	4,730
A555794F000S	2 9/32	57,946	16 5/8	9 1/4	4,840
A555874F000S	2 5/16	58,740	16 5/8	9 1/4	5,060
A555953F000S	2 11/32	59,533	16 5/8	9 1/4	5,090
A556033F000S	2 3/8	60,327	16 7/8	9 1/2	5,160
A556112F000S	2 13/32	61,121	16 7/8	9 1/2	5,180
A556191F000S	2 7/16	61,915	16 7/8	9 1/2	5,260
A556271F000S	2 15/32	62,708	16 7/8	9 1/2	5,420
A556350F000S	2 1/2	63,502	17	9 5/8	5,430
A556429F000S	2 17/32	64,296	17	9 5/8	5,450
A556509F000S	2 9/16	65,090	17	9 5/8	5,570
A556588F000S	2 19/32	65,884	17	9 5/8	5,700
A556668F000S	2 5/8	66,667	17	9 5/8	5,720
A556747F000S	2 21/32	67,471	17 1/4	9 7/8	5,740
A556826F000S	2 11/16	68,265	17 1/4	9 7/8	5,940

Objednací číslo Order number Bezeichnung Nummer	ØD inch	ØD mm	L inch	I inch	
A556906F000S	2 23/32	69,056	17 1/4	9 7/8	6,090
A556985F000S	2 3/4	69,853	17 1/4	9 7/8	6,220
A557064F000S	2 25/32	70,646	17 1/4	9 7/8	6,250
A557144F000S	2 13/16	71,440	17 3/8	10	6,300
A557223F000S	2 27/32	72,234	17 3/8	10	6,390
A557303F000S	2 7/8	73,028	17 3/8	10	6,410
A557382F000S	2 29/32	73,821	17 3/8	10	6,500
A557461F000S	2 15/16	74,615	17 3/8	10	6,600
A557541F000S	2 31/32	75,409	17 5/8	10 1/4	6,900
A557620F000S	3	76,200	17 5/8	10 1/4	7,100
A557938F000S	3 1/8	79,375	20 1/4	10 1/4	8,700
A558255F000S	3 1/4	82,550	20 1/2	10 1/2	9,100
A558573F000S	3 3/8	85,725	20 5/8	10 5/8	9,700
A558890F000S	3 1/2	88,900	20 5/8	10 5/8	10,550

