


ČSN 221125



HSS
PAS
DIN 340
E = 118°
λ = 25° - 30°
DIN 1412 FORM JN
R
V 2,0 ÷ 3,9
T 4,0 ÷ 13,0
F 13,1 ÷ 20,0
10xD




Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	kg
A250200V500S	2,00	85	56	0,002
A250210V500S	2,10	85	56	0,002
A250220V500S	2,20	90	59	0,002
A250225V500S	2,25	90	59	0,002
A250230V500S	2,30	90	59	0,002
A250240V500S	2,40	95	62	0,002
A250250V500S	2,50	95	62	0,0025
A250260V500S	2,60	95	62	0,0025
A250270V500S	2,70	100	66	0,0025
A250275V500S	2,75	100	66	0,003
A250280V500S	2,80	100	66	0,003
A250290V500S	2,90	100	66	0,0035
A250300V500S	3,00	100	66	0,0035
A250310V500S	3,10	106	69	0,004
A250320V500S	3,20	106	69	0,0045
A250325V500S	3,25	106	69	0,005
A250330V500S	3,30	106	69	0,005
A250340V500S	3,40	112	73	0,0055
A250350V500S	3,50	112	73	0,006
A250360V500S	3,60	112	73	0,0065
A250370V500S	3,70	112	73	0,007
A250375V500S	3,75	112	73	0,007
A250380V500S	3,80	119	78	0,0075
A250390V500S	3,90	119	78	0,0075
A250400T000S	4,00	119	78	0,008
A250410T000S	4,10	119	78	0,008
A250420T000S	4,20	119	78	0,009
A250425T000S	4,25	119	78	0,009
A250430T000S	4,30	126	82	0,009
A250440T000S	4,40	126	82	0,01
A250450T000S	4,50	126	82	0,011
A250460T000S	4,60	126	82	0,011
A250470T000S	4,70	126	82	0,012
A250475T000S	4,75	126	82	0,012
A250480T000S	4,80	132	87	0,013
A250490T000S	4,90	132	87	0,014
A250500T000S	5,00	132	87	0,015
A250510T000S	5,10	132	87	0,015
A250520T000S	5,20	132	87	0,015
A250525T000S	5,25	132	87	0,016
A250530T000S	5,30	132	87	0,017
A250540T000S	5,40	139	91	0,018
A250550T000S	5,50	139	91	0,019
A250560T000S	5,60	139	91	0,02
A250570T000S	5,70	139	91	0,02
A250575T000S	5,75	139	91	0,021
A250580T000S	5,80	139	91	0,022
A250590T000S	5,90	139	91	0,023
A250600T000S	6,00	139	91	0,024
A250610T000S	6,10	148	97	0,025
A250620T000S	6,20	148	97	0,025
A250625T000S	6,25	148	97	0,026
A250630T000S	6,30	148	97	0,027
A250640T000S	6,40	148	97	0,028
A250650T000S	6,50	148	97	0,029
A250660T000S	6,60	148	97	0,03
A250670T000S	6,70	148	97	0,03
A250675T000S	6,75	156	102	0,031
A250680T000S	6,80	156	102	0,032
A250690T000S	6,90	156	102	0,033
A250700T000S	7,00	156	102	0,034
A250710T000S	7,10	156	102	0,034

Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	kg
A250720T000S	7,20	156	102	0,035
A250725T000S	7,25	156	102	0,036
A250730T000S	7,30	156	102	0,037
A250740T000S	7,40	156	102	0,038
A250750T000S	7,50	156	102	0,039
A250760T000S	7,60	165	109	0,04
A250770T000S	7,70	165	109	0,041
A250775T000S	7,75	165	109	0,042
A250780T000S	7,80	165	109	0,042
A250790T000S	7,90	165	109	0,043
A250800T000S	8,00	165	109	0,044
A250810T000S	8,10	165	109	0,045
A250820T000S	8,20	165	109	0,046
A250825T000S	8,25	165	109	0,046
A250830T000S	8,30	165	109	0,048
A250840T000S	8,40	165	109	0,049
A250850T000S	8,50	165	109	0,049
A250860T000S	8,60	175	115	0,053
A250870T000S	8,70	175	115	0,055
A250875T000S	8,75	175	115	0,057
A250880T000S	8,80	175	115	0,06
A250890T000S	8,90	175	115	0,061
A250900T000S	9,00	175	115	0,063
A250910T000S	9,10	175	115	0,064
A250920T000S	9,20	175	115	0,065
A250925T000S	9,25	175	115	0,066
A250930T000S	9,30	175	115	0,067
A250940T000S	9,40	175	115	0,068
A250950T000S	9,50	175	115	0,069
A250960T000S	9,60	184	121	0,07
A250970T000S	9,70	184	121	0,071
A250975T000S	9,75	184	121	0,072
A250980T000S	9,80	184	121	0,074
A250990T000S	9,90	184	121	0,076
A251000T000S	10,00	184	121	0,077
A251010T000S	10,10	184	121	0,078
A251020T000S	10,20	184	121	0,079
A251025T000S	10,25	184	121	0,08
A251030T000S	10,30	184	121	0,081
A251040T000S	10,40	184	121	0,081
A251050T000S	10,50	184	121	0,082
A251060T000S	10,60	184	121	0,085
A251070T000S	10,70	195	128	0,085
A251075T000S	10,75	195	128	0,086
A251080T000S	10,80	195	128	0,088
A251090T000S	10,90	195	128	0,09
A251100T000S	11,00	195	128	0,093
A251110T000S	11,10	195	128	0,095
A251120T000S	11,20	195	128	0,098
A251125T000S	11,25	195	128	0,099
A251130T000S	11,30	195	128	0,102
A251140T000S	11,40	195	128	0,105
A251150T000S	11,50	195	128	0,111
A251160T000S	11,60	195	128	0,115
A251170T000S	11,70	195	128	0,118
A251175T000S	11,75	195	128	0,12
A251180T000S	11,80	195	128	0,125
A251190T000S	11,90	205	134	0,13
A251200T000S	12,00	205	134	0,132
A251210T000S	12,10	205	134	0,134
A251220T000S	12,20	205	134	0,136

pokračování / continue / Fortsetzung


ČSN 221125



Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	
A251225T000S	12,25	205	134	0,137
A251230T000S	12,30	205	134	0,138
A251240T000S	12,40	205	134	0,14
A251250T000S	12,50	205	134	0,142
A251260T000S	12,60	205	134	0,144
A251270T000S	12,70	205	134	0,146
A251275T000S	12,75	205	134	0,147
A251280T000S	12,80	205	134	0,148
A251290T000S	12,90	205	134	0,15
A251300T000S	13,00	205	134	0,152
A251310F000S	13,10	205	134	0,154
A251320F000S	13,20	205	134	0,155
A251325F000S	13,25	214	140	0,16
A251330F000S	13,30	214	140	0,165
A251340F000S	13,40	214	140	0,168
A251350F000S	13,50	214	140	0,172
A251360F000S	13,60	214	140	0,175
A251370F000S	13,70	214	140	0,177
A251375F000S	13,75	214	140	0,178
A251380F000S	13,80	214	140	0,18
A251390F000S	13,90	214	140	0,183
A251400F000S	14,00	214	140	0,185
A251425F000S	14,25	220	144	0,19

Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	
A251450F000S	14,50	220	144	0,192
A251475F000S	14,75	220	144	0,195
A251500F000S	15,00	220	144	0,197
A251525F000S	15,25	227	149	0,21
A251550F000S	15,50	227	149	0,22
A251575F000S	15,75	227	149	0,225
A251600F000S	16,00	227	149	0,23
A251625F000S	16,25	235	154	0,24
A251650F000S	16,50	235	154	0,245
A251675F000S	16,75	235	154	0,25
A251700F000S	17,00	235	154	0,255
A251725F000S	17,25	241	158	0,28
A251750F000S	17,50	241	158	0,29
A251775F000S	17,75	241	158	0,3
A251800F000S	18,00	241	158	0,31
A251825F000S	18,25	247	162	0,32
A251850F000S	18,50	247	162	0,33
A251875F000S	18,75	247	162	0,34
A251900F000S	19,00	247	162	0,35
A251925F000S	19,25	254	166	0,37
A251950F000S	19,50	254	166	0,38
A251975F000S	19,75	254	166	0,385
A252000F000S	20,00	254	166	0,39


PN 2916



Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	kg
A250090V000S	0,90	52	30	0,001
A250100V000S	1,00	56	33	0,001
A250110V000S	1,10	60	37	0,001
A250120V000S	1,20	65	41	0,001
A250130V000S	1,30	65	41	0,001
A250140V000S	1,40	70	45	0,001
A250150V000S	1,50	70	45	0,001
A250160V000S	1,60	76	50	0,002
A250170V000S	1,70	76	50	0,002
A250180V000S	1,80	80	53	0,002
A250190V000S	1,90	80	53	0,002
A250200V000S	2,00	85	56	0,002
A250210V000S	2,10	85	56	0,002
A250220V000S	2,20	90	59	0,002
A250230V000S	2,30	90	59	0,002
A250240V000S	2,40	95	62	0,0025
A250250V000S	2,50	95	62	0,0025
A250260V000S	2,60	95	62	0,0025
A250270V000S	2,70	100	66	0,0030
A250280V000S	2,80	100	66	0,0030
A250290V000S	2,90	100	66	0,0035
A250300V000S	3,00	100	66	0,0035
A250310V000S	3,10	106	69	0,0040
A250320V000S	3,20	106	69	0,0045
A250330V000S	3,30	106	69	0,0050
A250340V000S	3,40	112	73	0,0055
A250350V000S	3,50	112	73	0,0060
A250360V000S	3,60	112	73	0,0065
A250370V000S	3,70	112	73	0,0070
A250380V000S	3,80	119	78	0,0075
A250390V000S	3,90	119	78	0,0080
A250400V000S	4,00	119	78	0,0085
A250410V000S	4,10	119	78	0,0090
A250420V000S	4,20	119	78	0,0095
A250430V000S	4,30	126	82	0,010
A250440V000S	4,40	126	82	0,011
A250450V000S	4,50	126	82	0,012
A250460V000S	4,60	126	82	0,013
A250470V000S	4,70	126	82	0,014
A250480V000S	4,80	132	87	0,015
A250490V000S	4,90	132	87	0,015
A250500V000S	5,00	132	87	0,016
A250510V000S	5,10	132	87	0,016
A250520V000S	5,20	132	87	0,017
A250530V000S	5,30	132	87	0,017
A250540V000S	5,40	139	91	0,018
A250550V000S	5,50	139	91	0,019
A250560V000S	5,60	139	91	0,020
A250570V000S	5,70	139	91	0,021
A250580V000S	5,80	139	91	0,021
A250590V000S	5,90	139	91	0,022
A250600V000S	6,00	139	91	0,023
A250610V000S	6,10	148	97	0,025
A250620V000S	6,20	148	97	0,026
A250630V000S	6,30	148	97	0,027
A250640V000S	6,40	148	97	0,028
A250650V000S	6,50	148	97	0,029
A250660V000S	6,60	148	97	0,030
A250670V000S	6,70	148	97	0,031
A250680V000S	6,80	156	102	0,032
A250690V000S	6,90	156	102	0,033
A250700V000S	7,00	156	102	0,034
A250710V000S	7,10	156	102	0,035
A250720V000S	7,20	156	102	0,036
A250730V000S	7,30	156	102	0,037
A250740V000S	7,40	156	102	0,038

Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	kg
A250750V000S	7,50	156	102	0,039
A250760V000S	7,60	165	109	0,040
A250770V000S	7,70	165	109	0,041
A250780V000S	7,80	165	109	0,042
A250790V000S	7,90	165	109	0,043
A250800V000S	8,00	165	109	0,044
A250810V000S	8,10	165	109	0,045
A250820V000S	8,20	165	109	0,046
A250830V000S	8,30	165	109	0,047
A250840V000S	8,40	165	109	0,048
A250850V000S	8,50	165	109	0,049
A250860V000S	8,60	175	115	0,053
A250870V000S	8,70	175	115	0,055
A250880V000S	8,80	175	115	0,060
A250890V000S	8,90	175	115	0,061
A250900V000S	9,00	175	115	0,063
A250910V000S	9,10	175	115	0,064
A250920V000S	9,20	175	115	0,065
A250930V000S	9,30	175	115	0,066
A250940V000S	9,40	175	115	0,067
A250950V000S	9,50	175	115	0,068
A250960V000S	9,60	184	121	0,069
A250970V000S	9,70	184	121	0,070
A250980V000S	9,80	184	121	0,075
A250990V000S	9,90	184	121	0,076
A251000V000S	10,00	184	121	0,077
A251010V000S	10,10	184	121	0,078
A251020V000S	10,20	184	121	0,079
A251030V000S	10,30	184	121	0,080
A251040V000S	10,40	184	121	0,081
A251050V000S	10,50	184	121	0,082
A251060V000S	10,60	184	121	0,083
A251070V000S	10,70	195	128	0,085
A251080V000S	10,80	195	128	0,088
A251090V000S	10,90	195	128	0,090
A251100V000S	11,00	195	128	0,093
A251110V000S	11,10	195	128	0,095
A251120V000S	11,20	195	128	0,098
A251130V000S	11,30	195	128	0,100
A251140V000S	11,40	195	128	0,105
A251150V000S	11,50	195	128	0,111
A251160V000S	11,60	195	128	0,115
A251170V000S	11,70	195	128	0,120
A251180V000S	11,80	195	128	0,125
A251190V000S	11,90	205	134	0,130
A251200V000S	12,00	205	134	0,132
A251210V000S	12,10	205	134	0,134
A251220V000S	12,20	205	134	0,136
A251230V000S	12,30	205	134	0,138
A251240V000S	12,40	205	134	0,140
A251250V000S	12,50	205	134	0,142
A251260V000S	12,60	205	134	0,144
A251270V000S	12,70	205	134	0,146
A251280V000S	12,80	205	134	0,148
A251290V000S	12,90	205	134	0,150
A251300V000S	13,00	205	134	0,152
A251310V000S	13,10	205	134	0,154
A251320V000S	13,20	205	134	0,155
A251330V000S	13,30	214	140	0,165
A251340V000S	13,40	214	140	0,168
A251350V000S	13,50	214	140	0,172
A251360V000S	13,60	214	140	0,175
A251370V000S	13,70	214	140	0,177
A251380V000S	13,80	214	140	0,180
A251390V000S	13,90	214	140	0,183
A251400V000S	14,00	214	140	0,185



PN 2916 - T 500



Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	
A250200H000S	2,00	85	56	0,002
A250210H000S	2,10	85	56	0,002
A250220H000S	2,20	90	59	0,002
A250230H000S	2,30	90	59	0,002
A250240H000S	2,40	95	62	0,0025
A250250H000S	2,50	95	62	0,0025
A250260H000S	2,60	95	62	0,0025
A250270H000S	2,70	100	66	0,0030
A250280H000S	2,80	100	66	0,0030
A250290H000S	2,90	100	66	0,0035
A250300H000S	3,00	100	66	0,0035
A250310H000S	3,10	106	69	0,0040
A250320H000S	3,20	106	69	0,0045
A250330H000S	3,30	106	69	0,0050
A250340H000S	3,40	112	73	0,0055
A250350H000S	3,50	112	73	0,0060
A250360H000S	3,60	112	73	0,0065
A250370H000S	3,70	112	73	0,0070
A250380H000S	3,80	119	78	0,0075
A250390H000S	3,90	119	78	0,0080
A250400H000S	4,00	119	78	0,0085
A250410H000S	4,10	119	78	0,0090
A250420H000S	4,20	119	78	0,0095
A250430H000S	4,30	126	82	0,010
A250440H000S	4,40	126	82	0,011
A250450H000S	4,50	126	82	0,012
A250460H000S	4,60	126	82	0,013
A250470H000S	4,70	126	82	0,014
A250480H000S	4,80	132	87	0,015
A250490H000S	4,90	132	87	0,015
A250500H000S	5,00	132	87	0,016
A250510H000S	5,10	132	87	0,016
A250520H000S	5,20	132	87	0,017
A250530H000S	5,30	132	87	0,017
A250540H000S	5,40	139	91	0,018
A250550H000S	5,50	139	91	0,019
A250560H000S	5,60	139	91	0,020
A250570H000S	5,70	139	91	0,021
A250580H000S	5,80	139	91	0,021
A250590H000S	5,90	139	91	0,022
A250600H000S	6,00	139	91	0,023
A250610H000S	6,10	148	97	0,025
A250620H000S	6,20	148	97	0,026
A250630H000S	6,30	148	97	0,027
A250640H000S	6,40	148	97	0,028
A250650H000S	6,50	148	97	0,029
A250660H000S	6,60	148	97	0,030
A250670H000S	6,70	148	97	0,031
A250680H000S	6,80	156	102	0,032
A250690H000S	6,90	156	102	0,033
A250700H000S	7,00	156	102	0,034
A250710H000S	7,10	156	102	0,035
A250720H000S	7,20	156	102	0,036
A250730H000S	7,30	156	102	0,037
A250740H000S	7,40	156	102	0,038
A250750H000S	7,50	156	102	0,039
A250760H000S	7,60	165	109	0,040
A250770H000S	7,70	165	109	0,041
A250780H000S	7,80	165	109	0,042
A250790H000S	7,90	165	109	0,043
A250800H000S	8,00	165	109	0,044

Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	
A250810H000S	8,10	165	109	0,045
A250820H000S	8,20	165	109	0,046
A250830H000S	8,30	165	109	0,047
A250840H000S	8,40	165	109	0,048
A250850H000S	8,50	165	109	0,049
A250860H000S	8,60	175	115	0,053
A250870H000S	8,70	175	115	0,055
A250880H000S	8,80	175	115	0,060
A250890H000S	8,90	175	115	0,061
A250900H000S	9,00	175	115	0,063
A250910H000S	9,10	175	115	0,064
A250920H000S	9,20	175	115	0,065
A250930H000S	9,30	175	115	0,066
A250940H000S	9,40	175	115	0,067
A250950H000S	9,50	175	115	0,068
A250960H000S	9,60	184	121	0,069
A250970H000S	9,70	184	121	0,070
A250980H000S	9,80	184	121	0,075
A250990H000S	9,90	184	121	0,076
A251000H000S	10,00	184	121	0,077
A251010H000S	10,10	184	121	0,078
A251020H000S	10,20	184	121	0,079
A251030H000S	10,30	184	121	0,080
A251040H000S	10,40	184	121	0,081
A251050H000S	10,50	184	121	0,082
A251060H000S	10,60	184	121	0,083
A251070H000S	10,70	195	128	0,085
A251080H000S	10,80	195	128	0,088
A251090H000S	10,90	195	128	0,090
A251100H000S	11,00	195	128	0,093
A251110H000S	11,10	195	128	0,095
A251120H000S	11,20	195	128	0,098
A251130H000S	11,30	195	128	0,100
A251140H000S	11,40	195	128	0,105
A251150H000S	11,50	195	128	0,111
A251160H000S	11,60	195	128	0,115
A251170H000S	11,70	195	128	0,120
A251180H000S	11,80	195	128	0,125
A251190H000S	11,90	205	134	0,130
A251200H000S	12,00	205	134	0,132
A251210H000S	12,10	205	134	0,134
A251220H000S	12,20	205	134	0,136
A251230H000S	12,30	205	134	0,138
A251240H000S	12,40	205	134	0,140
A251250H000S	12,50	205	134	0,142
A251260H000S	12,60	205	134	0,144
A251270H000S	12,70	205	134	0,146
A251280H000S	12,80	205	134	0,148
A251290H000S	12,90	205	134	0,150
A251300H000S	13,00	205	134	0,152
A251310H000S	13,10	205	134	0,154
A251320H000S	13,20	205	134	0,155
A251330H000S	13,30	214	140	0,165
A251340H000S	13,40	214	140	0,168
A251350H000S	13,50	214	140	0,172
A251360H000S	13,60	214	140	0,175
A251370H000S	13,70	214	140	0,177
A251380H000S	13,80	214	140	0,180
A251390H000S	13,90	214	140	0,183
A251400H000S	14,00	214	140	0,185

PN 2921






Objednací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	kg
A25009L000S	0,90	52	30	0,001
A25010L000S	1,00	56	33	0,001
A25011L000S	1,10	60	37	0,001
A25012L000S	1,20	65	41	0,001
A25013L000S	1,30	65	41	0,001
A25014L000S	1,40	70	45	0,001
A25015L000S	1,50	70	45	0,001
A25016L000S	1,60	76	50	0,002
A25017L000S	1,70	76	50	0,002
A25018L000S	1,80	80	53	0,002
A25019L000S	1,90	80	53	0,002
A25020L000S	2,00	85	56	0,002
A25021L000S	2,10	85	56	0,002
A25022L000S	2,20	90	59	0,002
A25023L000S	2,30	90	59	0,002
A25024L000S	2,40	95	62	0,0025
A25025L000S	2,50	95	62	0,0025
A25026L000S	2,60	95	62	0,0025
A25027L000S	2,70	100	66	0,0030
A25028L000S	2,80	100	66	0,0030
A25029L000S	2,90	100	66	0,0035
A25030L000S	3,00	100	66	0,0035
A25031L000S	3,10	106	69	0,0040
A25032L000S	3,20	106	69	0,0045
A25033L000S	3,30	106	69	0,0050
A25034L000S	3,40	112	73	0,0055
A25035L000S	3,50	112	73	0,0060
A25036L000S	3,60	112	73	0,0065
A25037L000S	3,70	112	73	0,0070
A25038L000S	3,80	119	78	0,0075
A25039L000S	3,90	119	78	0,0080
A25040L000S	4,00	119	78	0,0085
A25041L000S	4,10	119	78	0,0090
A25042L000S	4,20	119	78	0,0095
A25043L000S	4,30	126	82	0,010
A25044L000S	4,40	126	82	0,011
A25045L000S	4,50	126	82	0,012
A25046L000S	4,60	126	82	0,013
A25047L000S	4,70	126	82	0,014
A25048L000S	4,80	132	87	0,015
A25049L000S	4,90	132	87	0,015
A25050L000S	5,00	132	87	0,016
A25051L000S	5,10	132	87	0,016
A25052L000S	5,20	132	87	0,017
A25053L000S	5,30	132	87	0,017
A25054L000S	5,40	139	91	0,018
A25055L000S	5,50	139	91	0,019
A25056L000S	5,60	139	91	0,020
A25057L000S	5,70	139	91	0,021
A25058L000S	5,80	139	91	0,021
A25059L000S	5,90	139	91	0,022
A25060L000S	6,00	139	91	0,023
A25061L000S	6,10	148	97	0,025
A25062L000S	6,20	148	97	0,026
A25063L000S	6,30	148	97	0,027
A25064L000S	6,40	148	97	0,028
A25065L000S	6,50	148	97	0,029
A25066L000S	6,60	148	97	0,030
A25067L000S	6,70	148	97	0,031
A25068L000S	6,80	156	102	0,032
A25069L000S	6,90	156	102	0,033
A25070L000S	7,00	156	102	0,034
A25071L000S	7,10	156	102	0,035
A25072L000S	7,20	156	102	0,036
A25073L000S	7,30	156	102	0,037
A25074L000S	7,40	156	102	0,038

Objednací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	kg
A25075L000S	7,50	156	102	0,039
A25076L000S	7,60	165	109	0,040
A25077L000S	7,70	165	109	0,041
A25078L000S	7,80	165	109	0,042
A25079L000S	7,90	165	109	0,043
A25080L000S	8,00	165	109	0,044
A25081L000S	8,10	165	109	0,045
A25082L000S	8,20	165	109	0,046
A25083L000S	8,30	165	109	0,047
A25084L000S	8,40	165	109	0,048
A25085L000S	8,50	165	109	0,049
A25086L000S	8,60	175	115	0,053
A25087L000S	8,70	175	115	0,055
A25088L000S	8,80	175	115	0,060
A25089L000S	8,90	175	115	0,061
A25090L000S	9,00	175	115	0,063
A25091L000S	9,10	175	115	0,064
A25092L000S	9,20	175	115	0,065
A25093L000S	9,30	175	115	0,066
A25094L000S	9,40	175	115	0,067
A25095L000S	9,50	175	115	0,068
A25096L000S	9,60	184	121	0,069
A25097L000S	9,70	184	121	0,070
A25098L000S	9,80	184	121	0,075
A25099L000S	9,90	184	121	0,076
A25100L000S	10,00	184	121	0,077
A25101L000S	10,10	184	121	0,078
A25102L000S	10,20	184	121	0,079
A25103L000S	10,30	184	121	0,080
A25104L000S	10,40	184	121	0,081
A25105L000S	10,50	184	121	0,082
A25106L000S	10,60	184	121	0,083
A25107L000S	10,70	195	128	0,085
A25108L000S	10,80	195	128	0,088
A25109L000S	10,90	195	128	0,090
A25110L000S	11,00	195	128	0,093
A25111L000S	11,10	195	128	0,095
A25112L000S	11,20	195	128	0,098
A25113L000S	11,30	195	128	0,100
A25114L000S	11,40	195	128	0,105
A25115L000S	11,50	195	128	0,111
A25116L000S	11,60	195	128	0,115
A25117L000S	11,70	195	128	0,120
A25118L000S	11,80	195	128	0,125
A25119L000S	11,90	205	134	0,130
A25120L000S	12,00	205	134	0,132
A25121L000S	12,10	205	134	0,134
A25122L000S	12,20	205	134	0,136
A25123L000S	12,30	205	134	0,138
A25124L000S	12,40	205	134	0,140
A25125L000S	12,50	205	134	0,142
A25126L000S	12,60	205	134	0,144
A25127L000S	12,70	205	134	0,146
A25128L000S	12,80	205	134	0,148
A25129L000S	12,90	205	134	0,150
A25130L000S	13,00	205	134	0,152
A25131L000S	13,10	205	134	0,154
A25132L000S	13,20	205	134	0,155
A25133L000S	13,30	214	140	0,165
A25134L000S	13,40	214	140	0,168
A25135L000S	13,50	214	140	0,172
A25136L000S	13,60	214	140	0,175
A25137L000S	13,70	214	140	0,177
A25138L000S	13,80	214	140	0,180
A25139L000S	13,90	214	140	0,183
A25140L000S	14,00	214	140	0,185




PN 2915



Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	
A250090V400S	0,90	52	30	0,001
A250100V400S	1,00	56	33	0,001
A250110V400S	1,10	60	37	0,001
A250120V400S	1,20	65	41	0,001
A250130V400S	1,30	65	41	0,001
A250140V400S	1,40	70	45	0,001
A250150V400S	1,50	70	45	0,001
A250160V400S	1,60	76	50	0,002
A250170V400S	1,70	76	50	0,002
A250180V400S	1,80	80	53	0,002
A250190V400S	1,90	80	53	0,002
A250200V400S	2,00	85	56	0,002
A250210V400S	2,10	85	56	0,002
A250220V400S	2,20	90	59	0,002
A250230V400S	2,30	90	59	0,002
A250240V400S	2,40	95	62	0,0025
A250250V400S	2,50	95	62	0,0025
A250260V400S	2,60	95	62	0,0025
A250270V400S	2,70	100	66	0,0030
A250280V400S	2,80	100	66	0,0030
A250290V400S	2,90	100	66	0,0035
A250300V400S	3,00	100	66	0,0035
A250310V400S	3,10	106	69	0,0040
A250320V400S	3,20	106	69	0,0045
A250330V400S	3,30	106	69	0,0050
A250340V400S	3,40	112	73	0,0055
A250350V400S	3,50	112	73	0,0060
A250360V400S	3,60	112	73	0,0065
A250370V400S	3,70	112	73	0,0070
A250380V400S	3,80	119	78	0,0075
A250390V400S	3,90	119	78	0,0080
A250400V400S	4,00	119	78	0,0085
A250410V400S	4,10	119	78	0,0090
A250420V400S	4,20	119	78	0,0095
A250430V400S	4,30	126	82	0,010
A250440V400S	4,40	126	82	0,011
A250450V400S	4,50	126	82	0,012
A250460V400S	4,60	126	82	0,013
A250470V400S	4,70	126	82	0,014
A250480V400S	4,80	132	87	0,015
A250490V400S	4,90	132	87	0,015
A250500V400S	5,00	132	87	0,016
A250510V400S	5,10	132	87	0,016
A250520V400S	5,20	132	87	0,017
A250530V400S	5,30	132	87	0,017
A250540V400S	5,40	139	91	0,018
A250550V400S	5,50	139	91	0,019
A250560V400S	5,60	139	91	0,020
A250570V400S	5,70	139	91	0,021
A250580V400S	5,80	139	91	0,021
A250590V400S	5,90	139	91	0,022
A250600V400S	6,00	139	91	0,023
A250610V400S	6,10	148	97	0,025
A250620V400S	6,20	148	97	0,026
A250630V400S	6,30	148	97	0,027
A250640V400S	6,40	148	97	0,028
A250650V400S	6,50	148	97	0,029
A250660V400S	6,60	148	97	0,030
A250670V400S	6,70	148	97	0,031
A250680V400S	6,80	156	102	0,032
A250690V400S	6,90	156	102	0,033
A250700V400S	7,00	156	102	0,034
A250710V400S	7,10	156	102	0,035
A250720V400S	7,20	156	102	0,036
A250730V400S	7,30	156	102	0,037
A250740V400S	7,40	156	102	0,038

Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	
A250750V400S	7,50	156	102	0,039
A250760V400S	7,60	165	109	0,040
A250770V400S	7,70	165	109	0,041
A250780V400S	7,80	165	109	0,042
A250790V400S	7,90	165	109	0,043
A250800V400S	8,00	165	109	0,044
A250810V400S	8,10	165	109	0,045
A250820V400S	8,20	165	109	0,046
A250830V400S	8,30	165	109	0,047
A250840V400S	8,40	165	109	0,048
A250850V400S	8,50	165	109	0,049
A250860V400S	8,60	175	115	0,053
A250870V400S	8,70	175	115	0,055
A250880V400S	8,80	175	115	0,060
A250890V400S	8,90	175	115	0,061
A250900V400S	9,00	175	115	0,063
A250910V400S	9,10	175	115	0,064
A250920V400S	9,20	175	115	0,065
A250930V400S	9,30	175	115	0,066
A250940V400S	9,40	175	115	0,067
A250950V400S	9,50	175	115	0,068
A250960V400S	9,60	184	121	0,069
A250970V400S	9,70	184	121	0,070
A250980V400S	9,80	184	121	0,075
A250990V400S	9,90	184	121	0,076
A251000V400S	10,00	184	121	0,077
A251010V400S	10,10	184	121	0,078
A251020V400S	10,20	184	121	0,079
A251030V400S	10,30	184	121	0,080
A251040V400S	10,40	184	121	0,081
A251050V400S	10,50	184	121	0,082
A251060V400S	10,60	184	121	0,083
A251070V400S	10,70	195	128	0,085
A251080V400S	10,80	195	128	0,088
A251090V400S	10,90	195	128	0,090
A251100V400S	11,00	195	128	0,093
A251110V400S	11,10	195	128	0,095
A251120V400S	11,20	195	128	0,098
A251130V400S	11,30	195	128	0,100
A251140V400S	11,40	195	128	0,105
A251150V400S	11,50	195	128	0,111
A251160V400S	11,60	195	128	0,115
A251170V400S	11,70	195	128	0,120
A251180V400S	11,80	195	128	0,125
A251190V400S	11,90	205	134	0,130
A251200V400S	12,00	205	134	0,132
A251210V400S	12,10	205	134	0,134
A251220V400S	12,20	205	134	0,136
A251230V400S	12,30	205	134	0,138
A251240V400S	12,40	205	134	0,140
A251250V400S	12,50	205	134	0,142
A251260V400S	12,60	205	134	0,144
A251270V400S	12,70	205	134	0,146
A251280V400S	12,80	205	134	0,148
A251290V400S	12,90	205	134	0,150
A251300V400S	13,00	205	134	0,152
A251310V400S	13,10	205	134	0,154
A251320V400S	13,20	205	134	0,155
A251330V400S	13,30	214	140	0,165
A251340V400S	13,40	214	140	0,168
A251350V400S	13,50	214	140	0,172
A251360V400S	13,60	214	140	0,175
A251370V400S	13,70	214	140	0,177
A251380V400S	13,80	214	140	0,180
A251390V400S	13,90	214	140	0,183
A251400V400S	14,00	214	140	0,185


PN 2915 - T 1000



Obj. číslo / Order No. / Bezeichnung Nr.	ØD mm	L mm	I mm	kg
A250200G400S	2,00	85	56	0,002
A250210G400S	2,10	85	56	0,002
A250220G400S	2,20	90	59	0,002
A250230G400S	2,30	90	59	0,002
A250240G400S	2,40	95	62	0,0025
A250250G400S	2,50	95	62	0,0025
A250260G400S	2,60	95	62	0,0025
A250270G400S	2,70	100	66	0,0030
A250280G400S	2,80	100	66	0,0030
A250290G400S	2,90	100	66	0,0035
A250300G400S	3,00	100	66	0,0035
A250310G400S	3,10	106	69	0,0040
A250320G400S	3,20	106	69	0,0045
A250330G400S	3,30	106	69	0,0050
A250340G400S	3,40	112	73	0,0055
A250350G400S	3,50	112	73	0,0060
A250360G400S	3,60	112	73	0,0065
A250370G400S	3,70	112	73	0,0070
A250380G400S	3,80	119	78	0,0075
A250390G400S	3,90	119	78	0,0080
A250400G400S	4,00	119	78	0,0085
A250410G400S	4,10	119	78	0,0090
A250420G400S	4,20	119	78	0,0095
A250430G400S	4,30	126	82	0,010
A250440G400S	4,40	126	82	0,011
A250450G400S	4,50	126	82	0,012
A250460G400S	4,60	126	82	0,013
A250470G400S	4,70	126	82	0,014
A250480G400S	4,80	132	87	0,015
A250490G400S	4,90	132	87	0,015
A250500G400S	5,00	132	87	0,016
A250510G400S	5,10	132	87	0,016
A250520G400S	5,20	132	87	0,017
A250530G400S	5,30	132	87	0,017
A250540G400S	5,40	139	91	0,018
A250550G400S	5,50	139	91	0,019
A250560G400S	5,60	139	91	0,020
A250570G400S	5,70	139	91	0,021
A250580G400S	5,80	139	91	0,021
A250590G400S	5,90	139	91	0,022
A250600G400S	6,00	139	91	0,023
A250610G400S	6,10	148	97	0,025
A250620G400S	6,20	148	97	0,026
A250630G400S	6,30	148	97	0,027
A250640G400S	6,40	148	97	0,028
A250650G400S	6,50	148	97	0,029
A250660G400S	6,60	148	97	0,030
A250670G400S	6,70	148	97	0,031
A250680G400S	6,80	156	102	0,032
A250690G400S	6,90	156	102	0,033
A250700G400S	7,00	156	102	0,034
A250710G400S	7,10	156	102	0,035
A250720G400S	7,20	156	102	0,036
A250730G400S	7,30	156	102	0,037
A250740G400S	7,40	156	102	0,038
A250750G400S	7,50	156	102	0,039
A250760G400S	7,60	165	109	0,040
A250770G400S	7,70	165	109	0,041
A250780G400S	7,80	165	109	0,042
A250790G400S	7,90	165	109	0,043
A250800G400S	8,00	165	109	0,044

Obj. číslo / Order No. / Bezeichnung Nr.	ØD mm	L mm	I mm	kg
A250810G400S	8,10	165	109	0,045
A250820G400S	8,20	165	109	0,046
A250830G400S	8,30	165	109	0,047
A250840G400S	8,40	165	109	0,048
A250850G400S	8,50	165	109	0,049
A250860G400S	8,60	175	115	0,053
A250870G400S	8,70	175	115	0,055
A250880G400S	8,80	175	115	0,060
A250890G400S	8,90	175	115	0,061
A250900G400S	9,00	175	115	0,063
A250910G400S	9,10	175	115	0,064
A250920G400S	9,20	175	115	0,065
A250930G400S	9,30	175	115	0,066
A250940G400S	9,40	175	115	0,067
A250950G400S	9,50	175	115	0,068
A250960G400S	9,60	184	121	0,069
A250970G400S	9,70	184	121	0,070
A250980G400S	9,80	184	121	0,075
A250990G400S	9,90	184	121	0,076
A251000G400S	10,00	184	121	0,077
A251010G400S	10,10	184	121	0,078
A251020G400S	10,20	184	121	0,079
A251030G400S	10,30	184	121	0,080
A251040G400S	10,40	184	121	0,081
A251050G400S	10,50	184	121	0,082
A251060G400S	10,60	184	121	0,083
A251070G400S	10,70	195	128	0,085
A251080G400S	10,80	195	128	0,088
A251090G400S	10,90	195	128	0,090
A251100G400S	11,00	195	128	0,093
A251110G400S	11,10	195	128	0,095
A251120G400S	11,20	195	128	0,098
A251130G400S	11,30	195	128	0,100
A251140G400S	11,40	195	128	0,105
A251150G400S	11,50	195	128	0,111
A251160G400S	11,60	195	128	0,115
A251170G400S	11,70	195	128	0,120
A251180G400S	11,80	195	128	0,125
A251190G400S	11,90	205	134	0,130
A251200G400S	12,00	205	134	0,132
A251210G400S	12,10	205	134	0,134
A251220G400S	12,20	205	134	0,136
A251230G400S	12,30	205	134	0,138
A251240G400S	12,40	205	134	0,140
A251250G400S	12,50	205	134	0,142
A251260G400S	12,60	205	134	0,144
A251270G400S	12,70	205	134	0,146
A251280G400S	12,80	205	134	0,148
A251290G400S	12,90	205	134	0,150
A251300G400S	13,00	205	134	0,152
A251310G400S	13,10	205	134	0,154
A251320G400S	13,20	205	134	0,155
A251330G400S	13,30	214	140	0,165
A251340G400S	13,40	214	140	0,168
A251350G400S	13,50	214	140	0,172
A251360G400S	13,60	214	140	0,175
A251370G400S	13,70	214	140	0,177
A251380G400S	13,80	214	140	0,180
A251390G400S	13,90	214	140	0,183
A251400G400S	14,00	214	140	0,185

PN 2920





Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	
A250090L400S	0,90	52	30	0,001
A250100L400S	1,00	56	33	0,001
A250110L400S	1,10	60	37	0,001
A250120L400S	1,20	65	41	0,001
A250130L400S	1,30	65	41	0,001
A250140L400S	1,40	70	45	0,001
A250150L400S	1,50	70	45	0,001
A250160L400S	1,60	76	50	0,002
A250170L400S	1,70	76	50	0,002
A250180L400S	1,80	80	53	0,002
A250190L400S	1,90	80	53	0,002
A250200L400S	2,00	85	56	0,002
A250210L400S	2,10	85	56	0,002
A250220L400S	2,20	90	59	0,002
A250230L400S	2,30	90	59	0,002
A250240L400S	2,40	95	62	0,0025
A250250L400S	2,50	95	62	0,0025
A250260L400S	2,60	95	62	0,0025
A250270L400S	2,70	100	66	0,0030
A250280L400S	2,80	100	66	0,0030
A250290L400S	2,90	100	66	0,0035
A250300L400S	3,00	100	66	0,0035
A250310L400S	3,10	106	69	0,0040
A250320L400S	3,20	106	69	0,0045
A250330L400S	3,30	106	69	0,0050
A250340L400S	3,40	112	73	0,0055
A250350L400S	3,50	112	73	0,0060
A250360L400S	3,60	112	73	0,0065
A250370L400S	3,70	112	73	0,0070
A250380L400S	3,80	119	78	0,0075
A250390L400S	3,90	119	78	0,0080
A250400L400S	4,00	119	78	0,0085
A250410L400S	4,10	119	78	0,0090
A250420L400S	4,20	119	78	0,0095
A250430L400S	4,30	126	82	0,010
A250440L400S	4,40	126	82	0,011
A250450L400S	4,50	126	82	0,012
A250460L400S	4,60	126	82	0,013
A250470L400S	4,70	126	82	0,014
A250480L400S	4,80	132	87	0,015
A250490L400S	4,90	132	87	0,015
A250500L400S	5,00	132	87	0,016
A250510L400S	5,10	132	87	0,016
A250520L400S	5,20	132	87	0,017
A250530L400S	5,30	132	87	0,017
A250540L400S	5,40	139	91	0,018
A250550L400S	5,50	139	91	0,019
A250560L400S	5,60	139	91	0,020
A250570L400S	5,70	139	91	0,021
A250580L400S	5,80	139	91	0,021
A250590L400S	5,90	139	91	0,022
A250600L400S	6,00	139	91	0,023
A250610L400S	6,10	148	97	0,025
A250620L400S	6,20	148	97	0,026
A250630L400S	6,30	148	97	0,027
A250640L400S	6,40	148	97	0,028
A250650L400S	6,50	148	97	0,029
A250660L400S	6,60	148	97	0,030
A250670L400S	6,70	148	97	0,031
A250680L400S	6,80	156	102	0,032
A250690L400S	6,90	156	102	0,033
A250700L400S	7,00	156	102	0,034
A250710L400S	7,10	156	102	0,035
A250720L400S	7,20	156	102	0,036
A250730L400S	7,30	156	102	0,037
A250740L400S	7,40	156	102	0,038

Objednáací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	
A250750L400S	7,50	156	102	0,039
A250760L400S	7,60	165	109	0,040
A250770L400S	7,70	165	109	0,041
A250780L400S	7,80	165	109	0,042
A250790L400S	7,90	165	109	0,043
A250800L400S	8,00	165	109	0,044
A250810L400S	8,10	165	109	0,045
A250820L400S	8,20	165	109	0,046
A250830L400S	8,30	165	109	0,047
A250840L400S	8,40	165	109	0,048
A250850L400S	8,50	165	109	0,049
A250860L400S	8,60	175	115	0,053
A250870L400S	8,70	175	115	0,055
A250880L400S	8,80	175	115	0,060
A250890L400S	8,90	175	115	0,061
A250900L400S	9,00	175	115	0,063
A250910L400S	9,10	175	115	0,064
A250920L400S	9,20	175	115	0,065
A250930L400S	9,30	175	115	0,066
A250940L400S	9,40	175	115	0,067
A250950L400S	9,50	175	115	0,068
A250960L400S	9,60	184	121	0,069
A250970L400S	9,70	184	121	0,070
A250980L400S	9,80	184	121	0,075
A250990L400S	9,90	184	121	0,076
A251000L400S	10,00	184	121	0,077
A251010L400S	10,10	184	121	0,078
A251020L400S	10,20	184	121	0,079
A251030L400S	10,30	184	121	0,080
A251040L400S	10,40	184	121	0,081
A251050L400S	10,50	184	121	0,082
A251060L400S	10,60	184	121	0,083
A251070L400S	10,70	195	128	0,085
A251080L400S	10,80	195	128	0,088
A251090L400S	10,90	195	128	0,090
A251100L400S	11,00	195	128	0,093
A251110L400S	11,10	195	128	0,095
A251120L400S	11,20	195	128	0,098
A251130L400S	11,30	195	128	0,100
A251140L400S	11,40	195	128	0,105
A251150L400S	11,50	195	128	0,111
A251160L400S	11,60	195	128	0,115
A251170L400S	11,70	195	128	0,120
A251180L400S	11,80	195	128	0,125
A251190L400S	11,90	205	134	0,130
A251200L400S	12,00	205	134	0,132
A251210L400S	12,10	205	134	0,134
A251220L400S	12,20	205	134	0,136
A251230L400S	12,30	205	134	0,138
A251240L400S	12,40	205	134	0,140
A251250L400S	12,50	205	134	0,142
A251260L400S	12,60	205	134	0,144
A251270L400S	12,70	205	134	0,146
A251280L400S	12,80	205	134	0,148
A251290L400S	12,90	205	134	0,150
A251300L400S	13,00	205	134	0,152
A251310L400S	13,10	205	134	0,154
A251320L400S	13,20	205	134	0,155
A251330L400S	13,30	214	140	0,165
A251340L400S	13,40	214	140	0,168
A251350L400S	13,50	214	140	0,172
A251360L400S	13,60	214	140	0,175
A251370L400S	13,70	214	140	0,177
A251380L400S	13,80	214	140	0,180
A251390L400S	13,90	214	140	0,183
A251400L400S	14,00	214	140	0,185



PN 2917



Objednací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	kg
A260200V000S	2,00	85	56	0,002
A260210V000S	2,10	85	56	0,002
A260220V000S	2,20	90	59	0,002
A260230V000S	2,30	90	59	0,002
A260240V000S	2,40	95	62	0,0025
A260250V000S	2,50	95	62	0,0025
A260260V000S	2,60	95	62	0,0025
A260270V000S	2,70	100	66	0,0030
A260280V000S	2,80	100	66	0,0030
A260290V000S	2,90	100	66	0,0035
A260300V000S	3,00	100	66	0,0035
A260310V000S	3,10	106	69	0,0040
A260320V000S	3,20	106	69	0,0045
A260330V000S	3,30	106	69	0,0050
A260340V000S	3,40	112	73	0,0055
A260350V000S	3,50	112	73	0,0060
A260360V000S	3,60	112	73	0,0065
A260370V000S	3,70	112	73	0,0070
A260380V000S	3,80	119	78	0,0075
A260390V000S	3,90	119	78	0,0080
A260400V000S	4,00	119	78	0,0085
A260410V000S	4,10	119	78	0,0090
A260420V000S	4,20	119	78	0,0095
A260430V000S	4,30	126	82	0,010
A260440V000S	4,40	126	82	0,011
A260450V000S	4,50	126	82	0,012
A260460V000S	4,60	126	82	0,013
A260470V000S	4,70	126	82	0,014
A260480V000S	4,80	132	87	0,015
A260490V000S	4,90	132	87	0,015
A260500V000S	5,00	132	87	0,016
A260510V000S	5,10	132	87	0,016
A260520V000S	5,20	132	87	0,017
A260530V000S	5,30	132	87	0,017
A260540V000S	5,40	139	91	0,018
A260550V000S	5,50	139	91	0,019
A260560V000S	5,60	139	91	0,020
A260570V000S	5,70	139	91	0,021
A260580V000S	5,80	139	91	0,021
A260590V000S	5,90	139	91	0,022
A260600V000S	6,00	139	91	0,023
A260610V000S	6,10	148	97	0,025
A260620V000S	6,20	148	97	0,026
A260630V000S	6,30	148	97	0,027
A260640V000S	6,40	148	97	0,028
A260650V000S	6,50	148	97	0,029
A260660V000S	6,60	148	97	0,030
A260670V000S	6,70	148	97	0,031
A260680V000S	6,80	156	102	0,032
A260690V000S	6,90	156	102	0,033
A260700V000S	7,00	156	102	0,034
A260710V000S	7,10	156	102	0,035
A260720V000S	7,20	156	102	0,036
A260730V000S	7,30	156	102	0,037
A260740V000S	7,40	156	102	0,038
A260750V000S	7,50	156	102	0,039
A260760V000S	7,60	165	109	0,040
A260770V000S	7,70	165	109	0,041
A260780V000S	7,80	165	109	0,042
A260790V000S	7,90	165	109	0,043
A260800V000S	8,00	165	109	0,044

Objednací číslo Order number Bezeichnung Nummer	ØD mm	L mm	l mm	kg
A260810V000S	8,10	165	109	0,045
A260820V000S	8,20	165	109	0,046
A260830V000S	8,30	165	109	0,047
A260840V000S	8,40	165	109	0,048
A260850V000S	8,50	165	109	0,049
A260860V000S	8,60	175	115	0,053
A260870V000S	8,70	175	115	0,055
A260880V000S	8,80	175	115	0,060
A260890V000S	8,90	175	115	0,061
A260900V000S	9,00	175	115	0,063
A260910V000S	9,10	175	115	0,064
A260920V000S	9,20	175	115	0,065
A260930V000S	9,30	175	115	0,066
A260940V000S	9,40	175	115	0,067
A260950V000S	9,50	175	115	0,068
A260960V000S	9,60	184	121	0,069
A260970V000S	9,70	184	121	0,070
A260980V000S	9,80	184	121	0,075
A260990V000S	9,90	184	121	0,076
A261000V000S	10,00	184	121	0,077
A261010V000S	10,10	184	121	0,078
A261020V000S	10,20	184	121	0,079
A261030V000S	10,30	184	121	0,080
A261040V000S	10,40	184	121	0,081
A261050V000S	10,50	184	121	0,082
A261060V000S	10,60	184	121	0,083
A261070V000S	10,70	195	128	0,085
A261080V000S	10,80	195	128	0,088
A261090V000S	10,90	195	128	0,090
A261100V000S	11,00	195	128	0,093
A261110V000S	11,10	195	128	0,095
A261120V000S	11,20	195	128	0,098
A261130V000S	11,30	195	128	0,100
A261140V000S	11,40	195	128	0,105
A261150V000S	11,50	195	128	0,111
A261160V000S	11,60	195	128	0,115
A261170V000S	11,70	195	128	0,120
A261180V000S	11,80	195	128	0,125
A261190V000S	11,90	205	134	0,130
A261200V000S	12,00	205	134	0,132
A261210V000S	12,10	205	134	0,134
A261220V000S	12,20	205	134	0,136
A261230V000S	12,30	205	134	0,138
A261240V000S	12,40	205	134	0,140
A261250V000S	12,50	205	134	0,142
A261260V000S	12,60	205	134	0,144
A261270V000S	12,70	205	134	0,146
A261280V000S	12,80	205	134	0,148
A261290V000S	12,90	205	134	0,150
A261300V000S	13,00	205	134	0,152
A261310V000S	13,10	205	134	0,154
A261320V000S	13,20	205	134	0,155
A261330V000S	13,30	214	140	0,165
A261340V000S	13,40	214	140	0,168
A261350V000S	13,50	214	140	0,172
A261360V000S	13,60	214	140	0,175
A261370V000S	13,70	214	140	0,177
A261380V000S	13,80	214	140	0,180
A261390V000S	13,90	214	140	0,183
A261400V000S	14,00	214	140	0,185